



# UNITED STATES PATENT AND TRADEMARK OFFICE

*[Signature]*  
UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/665,747	09/19/2003	Arnold J. Gum	030158	6972

23696 7590 08/28/2006

QUALCOMM INCORPORATED  
5775 MOREHOUSE DR.  
SAN DIEGO, CA 92121

EXAMINER
----------

DOAN, PHUOC HUU

ART UNIT	PAPER NUMBER
----------	--------------

2617

DATE MAILED: 08/28/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

<b>Office Action Summary</b>	<b>Application No.</b>	<b>Applicant(s)</b>	
	10/665,747	GUM ET AL.	
	<b>Examiner</b>	<b>Art Unit</b>	
	PHUOC H. DOAN	2617	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

#### Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

#### Status

- 1) ☒ Responsive to communication(s) filed on 08/03/06.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

#### Disposition of Claims

- 4) ☒ Claim(s) 1-9, 11-32, 34-42 and 44-49 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 1-9, 11-32, 34-42 and 44-49 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

#### Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on \_\_\_\_\_ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

#### Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some \* c) ☐ None of:
- ☐ Certified copies of the priority documents have been received.
  - ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  - ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- \* See the attached detailed Office action for a list of the certified copies not received.

#### Attachment(s)

- |  |   |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892)  | 4) <input type="checkbox"/> Interview Summary (PTO-413)<br>Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948)                                   | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152)             |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)<br>Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____  |

## **DETAILED ACTION**

### ***Response to Arguments***

1. Applicant's arguments with respect to claim 1-9, 11-32, 34-42, and 44-49 have been considered but are moot in view of the new ground(s) of rejection. The examiner has been withdraw the previously office action (Final rejection) based on the claim has amended filed on 05/09/06. The new ground(s) of rejection will be applied for the new Final rejection.

Applicant's remarks: Blight fails to describe a wireless telephone receiver or position determination using communication signals from a base transceiver system communicating with a wireless telephone receiver.

Examiner's response: Forrester discloses a wireless telephone receiver or position determination using communication signals from a base transceiver system communicating with a wireless telephone receiver (col. 2, par. [0016-0018] mobile device 102 communication signal from a base transceiver system 108 over communication channel 106). Blight only support in combined with Forrester base on the claim invention such as a mobile device communicated directly to Wireless Access Point; if available with an acceptable error range and the data received from the network wireless access point (See page 4, par. [0089-0106]).

Applicant's remarks: Blights fails to describe any "acceptable error range" where position is determined based on communication signals from a base transceiver system.

Examiner's response: Forrester specifically discloses the communication signals from the base transceiver system (col. 3 through col. 6, par. [0033-0036]). Blight in combined with Forrester to support a feature which based on the claim language such as "a mobile device communicated directly to Wireless Access Point; if available with an acceptable error range and the data received from the network wireless access point" (page 4, par. [0089-0106] mobile device communication to access point based on the position and location to be estimated error due to movement of the current position and location in change to define the error range).

### ***Claim Rejections - 35 USC § 103***

2. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

3. Claims **20-24, and 28** are rejected under 35 U.S.C. 103(a) as being unpatentable over **Forrester (US Pub No: 2003/0134646)** in view of **Blight (US Pub No: 2002/0184418)**

As to claim **20, 28**, Forrester discloses a position determination system comprising: a global positioning system (GPS) receiver “**Fig. 2**” to receive data from a plurality of GPS satellites “**Fig. 1, item 104**” (col. 3, par. [0025]); a wireless telephone receiver to receive communication signals from a base transceiver station (col. 1, par. [0015]); a wireless computer network transceiver configured to communicate with a network wireless access point (col. 2, par. [0016-0018]), the transceiver receiving data from the access point (col. 2, par. [0016-0017]); and a position determining entity to determine the position of the mobile communication device based on the data received from the GPS satellites (col. 2, par. [0020-0024]), the communication signals from the base transceiver station, if available with an acceptable error range, and the data received from the network wireless access point (col. 3 through col. 4, par. [0033-0036]). However, Forrester does not disclose a mobile device communicated directly to Wireless Access Point; if available with an acceptable error range and the data received from the network wireless access point.

In the same invention, Blight discloses a mobile device communicated directly to Wireless Access Point (Fig. 1, col. 2, par. [0033]), if available with an acceptable error range and the data received from the network wireless access point (page 4, par. [0089-0106]). Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to provide the WLAN in wireless communication as taught by Blight to the system of Forrester in order to addition a bandwidth of WLAN in reduced the traffic of GPS networks.

**As to claim 21**, Forrester further discloses the system of claim 20 wherein the position determining entity generates a weighted combination of at least two position data sources comprising data received from the GPS satellites (col. 2, par. [0020]), the communication signals from the base transceiver station (col. 2, par. [0018]), and the data received from the network wireless access point (col. 2, par. [0016-0017]).

**As to claim 22**, Blight further discloses the system of claim 21 wherein the weighted combination of at least two position data sources is based on predicted accuracy of the position data sources (col. 4, par. [0091]).

**As to claim 23**, Blight further discloses the system of claim 1 wherein the wireless computer network transceiver is configured for operation in accordance with IEEE 802.11 wireless network standards (col. 2, par. [0035]).

**As to claim 24**, Forrester further discloses the system of claim 1 wherein the displayed data based on the determined position is position information (col. 2, par. [0022], col. 3, par. [0025-0027]).

4. Claims 1-9, 11-13, 15-18, 25-26, 29-32, 34-42, and 44-49 are rejected under 35 U.S.C. 103(a) as being unpatentable over **Forrester (US Pub No: 2003/0134646)** in view of **Blight (US Pub No: 2002/0184418)**, and further in view of **Kratky (US Pub No: 2003/0046158)**.

**As to claim 1, 29, 40**, Forrester discloses a position determination system comprising (Fig. 1): a wireless computer network transceiver configured to communicate with a network wireless access point (col. 1 through col. 2, par. [0015-0016]), the transceiver receiving data from the access point (col. 2, par. [0017]); and a display to display data based on the determined position (col. 2, par. [0021-0022]). However, Forrester does not disclose a mobile device communicated directly to Wireless Access Point, a display to display information data based on the determined position.

In the same invention, Blight discloses a mobile device communicated directly to Wireless Access Point (Fig. 1, col. 2, par. [0033]), a display to display information data based on the determined position (page 2, par. [0031]; page 3, par. [0046], [0083]). Therefore, it would have been obvious to one of ordinary skill in the art at

the time the invention was made to provide the WLAN in wireless communication as taught by Blight to the system of Forrester in order to addition a bandwidth of WLAN in reduced the traffic of GPS networks.

The combination of Forrester and Blight do not disclose a display to display non position information.

Kratky discloses a display to display non position information (page 2, par. [0026]). Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to provide a display to display non position information as taught by Kratky to the combined system of Forrester, Blight in order to has a display the advertiser's location.

**As to claim 2, 30,** Forrester further discloses the system of claim 1 wherein the wireless computer network transceiver and the display are incorporated into a portable device and the position determining entity is located remote from the portable device (col. 2, par. [0022]).

**As to claim 3, 31, 41,** Blight further discloses the system of claim 1 wherein the wireless computer network transceiver is configured for operation in accordance with IEEE 802.11 wireless network standards (col. 2, par. [0035]).

**As to claim 4, 32, 42,** Forrester further discloses the system of claim 1 wherein the displayed data based on the determined position is position information (col. 2, par.



[0022], col. 3, par. [0025-0027]).

As to **claim 5**, Blight further discloses the system of claim 4 wherein the position information is an address (col. 3, par. [0083] **“include a graphics map that is the data structure which contains the visual information about an area”**, and col. 5, par. [0119]).

As to **claim 6**, Blight further discloses the system of claim 1 wherein position data related to a position of the wireless access point is stored in a management information base as part of the wireless access point, the displayed data **“col. 2, par. [0031] display 114”** based on the determined position being the position data of the wireless access point (col. 2, par. [0034], col. 3, par. [0083]).

As to **claim 7**, Blight further discloses the system of claim 6 wherein the position data is location data or an address of the wireless access point (col. 5, par. [0119]).

As to **claim 8**, Blight further discloses the system of claim 6 wherein the position data further comprises a predicted range of the wireless access point (col. 5, par. [0118], [0142]).

As to **claim 9**, Forrester further discloses the system of claim 1 wherein position data related to a position of the wireless access point is determined by a remote position determining entity (col. 2, par. [0022]), the displayed data based on the determined position being position data of the wireless access point as determined

by the remote position determining entity (col. 2, par. [0022-0024]).

**As to claim 11, 34, 44**, Forrester further discloses the system of claim 10 wherein the non position information is information related to a store located proximate the determined position of the mobile communication device (col. 4, par. [0039]).

**As to claim 12, 35, 45**, Blight further discloses the system of claim 1 wherein the transceiver communicates a request to the wireless access point for non position information based on the determined position of the mobile communication device (col. 4, par. [0101-0106]).

**As to claim 13**, Blight further discloses the system of claim 12 wherein the non-position information is a merchant identification associated with the wireless access point (col. 2, par. [0035] “it sends a request to location server 270 accessible through communications network 220”).

**As to claim 15, 36, 46**, Forrester further discloses the system of claim 1, further comprising a global positioning system (GPS) receiver to receive data from a plurality of GPS satellites (col. 2, par. [0024]), the position determining entity using the data received from the GPS satellites to determine the position of the mobile communication device (col. 2, par. [0020-0021]).

**As to claim 16, 37, 47**, Forrester further discloses the system of claim 15 wherein the position determining entity generates a **weighted combination “RF generated**

**by weighted combination is inherently**” of the data received from the GPS satellites and data from the wireless access point to determine the position of the mobile communication device (col. 2, par. [0020-0021]).

As to **claim 17, 38, 48**, Forrester further discloses the system of claim 1, further comprising a wireless telephone receiver to receive communication signals from a base transceiver station, the position determining entity using the communication signals from the base transceiver station to determine the position of the mobile communication device.

As to **claim 18, 39, 49**, Forrester further discloses the system of claim 17 wherein the position determining entity generates a weighted combination **“RF generated by weighted combination is inherently”** of the communication signals from the base transceiver station and data from the wireless access point to determine the position of the mobile communication device (col. 1 through col. 2, par. [0015-0019]).

As to **claim 25**, Kratky further discloses the system of claim 1 wherein the displayed data based on the determined position is non position information (page 2, par. [0026]).

As to **claim 26**, Kratky further discloses the system of claim 1 wherein the transceiver communicates a request to the wireless access point for non position

information based on the determined position of the mobile communication device (page 2, par. [0026]).

Claim 14 is rejected under 35 U.S.C. 103(a) as being unpatentable over Forrester, Blight in view of Kratky as applied to claim 1 above, and further in view of **Pond (US Pub No: 2004/0030601)**.

**As to claim 14**, the combination of Forrester, Blight, and Kratky do not disclose wherein the transceiver communicates a request to the wireless access point for sales information or assistance in a store located proximate the determined position of the mobile communication device.

Pond discloses wherein the transceiver communicates a request to the wireless access point for sales information or assistance in a store located proximate the determined position of the mobile communication device (col. 10, par. [0122]).

Therefore, it would have obvious to one of ordinary skill in the art at the time the invention was made to provide a store located proximate as taught by Pond to the system of Forrester, Blight, and Kratky in order to used proximity technology to authenticated a network base transaction.

5. Claim **19, 27** are rejected under 35 U.S.C. 103(a) as being unpatentable over Forrester, Blight in view of Kratky as applied to claim 17 above, and further in view of **Gunnarsson (US Pub No: 2003/0118015)**.

As to claim **19, 27**, the combination of Forrester and Blight do not disclose wherein the wireless telephone receiver is configured for code division multiple access (CDMA) operation and the communication signals from a base transceiver station are CDMA pilot signals.

Gunnarsson discloses wherein the wireless telephone receiver is configured for code division multiple access (CDMA) operation and the communication signals from a base transceiver station are CDMA pilot signals (col. 1, par. [0013]).

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to provide a base transceiver station are CDMA as taught by Gunnarsson to the system of Forrester, Blight and Kratky in order to has an option to used WLAN and CDMA for wireless communication.

### ***Conclusion***


6. **THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.


Any inquiry concerning this communication or earlier communications from the examiner should be directed to PHUOC H. DOAN whose telephone number is 571-272-7920. The examiner can normally be reached on 9:30 AM - 6:30 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, GEORGE ENG can be reached on 571-272-7495. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.



Phuoc Doan  
08/17/06



GEORGE ENG  
SUPERVISORY PATENT EXAMINER